

Raindance E

Showerpipe 360 1jet with thermostat

Finish: **Chrome** Article Number: **27112000**



Description

product features

- consists of: overhead shower, hand shower, shower thermostat, shower hose, shower holder, shower bar
- overhead shower Raindance E 360 Air
- shower head size overhead shower: 360 x 190 mm
- spray type overhead shower: RainAir
- shelf made of safety glass
- surface shelf: mirror glass
- spray type hand shower: RainAir, Rain, Whirl
- maximum flow rate for Showerpipe at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- max. operating pressure: 10 bar
- ball-joint: overhead shower angle adjustable
- bar width: 44 mm
- shower arm length overhead shower: 380 mm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat Ecostat Select
- safety stop at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- will not run two functions at same time
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension: DN15
- connection thread: G ½
- centre distance: 150 ± 12 mm
- intrinsically safe against backflow
- pipe length: 1066 mm
- in case of installation on existing G ¾ connections, adaptor no.02026000 must be used
- 2 functions

Technology



Certificates / Sustainability




Raindance E
Showerpipe 360 1jet with thermostat
 Finish: **Chrome** Article Number: **27112000**




Product image



Scale drawing




Flowchart



Raindance E
Showerpipe 360 1jet with thermostat
 Finish: **Chrome** Article Number: **27112000**



Installation examples




Raindance E
Showerpipe 360 1jet with thermostat
 Finish: **Chrome** Article Number: **27112000**



Exploded Drawing

Year of production: >02/15



Raindance E

Showerpipe 360 1jet with thermostat

Finish: **Chrome** Article Number: **27112000**



Spare part list

Year of production: >02/15

Pos.	Description	Article Number	PC	PU
1	shower arm	92267000	18	1
2	Overhead shower with female thread G½	27381000	98	1
3	seal	98058000	1	1
4	spray body	92295000	15	1
5	set of screws	92834000	4	1
6	filter	97735000	1	1
7	air jet	95416000	9	1
8	O-ring 9x1,5	98117000	1	1
9	tile-matching-disk 7 mm	95960000	9	1
10	pipe with cover (850 mm)	92265000	18	1
11	pipe with cover (950 mm)	92357000	18	1
12	pipe with cover (1282 mm)	92266000	19	1
13	pipe with cover (1382 mm)	92358000	20	1
14	O-ring 9x1,8	98118000	1	1
15	shower holder	28331000	98	1
16	guide	98918000	1	1
17	handshower	26520000	98	1
18	filter insert	97708000	2	1
19	shower hose Isiflex'B 1,60 m	28276000	98	1
20	Hose Connection	96044000	5	1
21	O-ring 14x2	98129000	1	1
22	hollow set screw M6x16 including o-ring 29x3	98372000	3	1
23	handle for thermostat	95770000	11	1
24	safety set	95771000	3	1
25	handle fixing set	92130000	2	1
26	nut	98913000	6	1
27	thermostat cartridge	98282000	14	1
28	cartridge for exchanged connections	92373000	18	1
29	handle	95957000	11	1
30	shut off unit with selector	98283000	12	1
31	escutcheon	98478000	18	1
32	seal	97530000	2	1
33	non return valve (pressure-resistant up to 2 MPa)	95773000	8	1
34	O-ring 17x2	98199000	1	1
35	set of S-unions	95772000	13	1
36	noise reduction	96429000	2	1
37	O-ring 29x3	98371000	2	1
a	adapter for ball S - union	02026000	98	1
b	ball s-unions with escutcheon	98293000	22	1
c	brake disc	92832000	2	1