



| Washbowl   | Dimension      | Weight                                  | Order number |
|--|----------------|---|--------------|
| DuraCeram®, Oval, Tap hole platform: No, Overflow: No, grounded, Incl. ceramic drain cover, Incl. slotted waste, 600 mm  |                |   |              |
| Colors   |                |   |              |
| 00 White Alpin 23 White/Grey Satin matt 26 White/White Satin Matt  |                |   |              |
| Variant  |                |   |              |
| ⊠ White High Gloss, Number of washing areas: 1 Middle  |                | 8.900 kg                                | 03796000     |
| ⊠ Interior colour White High Gloss, Exterior colour Grey Satin Matt, Number of washing areas: 1 Middle   |                | 8.900 kg                                | 03796000     |
| $\boxtimes$ Interior colour White High Gloss, Exterior colour White Satin Matt, Number of washing areas: 1 Middle  |                | 8.900 kg                                | 03796000     |
| Sanitary ceramics with the special WonderGliss surface finish vitime to come. When ordering WonderGliss please add a "1" as eleventh digit   |                | • |              |
| Accessory  |                |   |              |
| Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin  | 70 x 425 mm    | 1.5 kg                                  | 005036       |
| Suitable products  |                |   |              |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible Handle Silver, Soft self-closing automatic with damping, 800 x 550 mm | ' 800 x 550 mm |   | KT6694       |



| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1000 x 550 mm  | 1000 x 550 mm | KT6695       |
|---|---------------|--------------|
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1200 x 550 mm  | 1200 x 550 mm | KT6696       |
| Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1400 x 550 mm  | 1400 x 550 mm | KT6697 B/L/R |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 800 x 550 mm                 | 800 x 550 mm  | KT6654       |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, $1000 \times 550 \text{ mm}$ | 1000 x 550 mm | KT6655       |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, $1200 \times 550 \text{ mm}$ | 1200 x 550 mm | KT6656       |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, $1400 \times 550 \text{ mm}$ | 1400 x 550 mm | KT6657 B/L/R |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 478 mm                                  | 600 x 478 mm  | DS5300       |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 478 mm                                  | 700 x 478 mm  | DS5301       |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 478 mm                                  | 800 x 478 mm  | DS5302       |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 478 mm                                  | 900 x 478 mm  | DS5303       |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 478 mm                                 | 1000 x 478 mm | DS5304       |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm   | 600 x 548 mm  | DS5310       |



| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm                            | 700 x 548 mm  | DS5311 |
|--|---------------|--------|
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm                            | 800 x 548 mm  | DS5312 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm                            | 900 x 548 mm  | DS5313 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm                           | 1000 x 548 mm | DS5314 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm  | 600 x 548 mm  | DS5315 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm  | 700 x 548 mm  | DS5316 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm  | 800 x 548 mm  | DS5317 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm  | 900 x 548 mm  | DS5318 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm | 1000 x 548 mm | DS5319 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 477 mm      | 620 x 477 mm  | LC5800 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 477 mm      | 720 x 477 mm  | LC5801 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 477 mm      | 820 x 477 mm  | LC5802 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 477 mm      | 920 x 477 mm  | LC5803 |



| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 477 mm  | 1020 x 477 mm | LC5804   |
|---|---------------|----------|
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm  | 620 x 547 mm  | LC5810   |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm  | 720 x 547 mm  | LC5811   |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm  | 820 x 547 mm  | LC5812   |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm  | 920 x 547 mm  | LC5813   |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm   | 1020 x 547 mm | LC5814   |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm                        | 620 x 547 mm  | LC5815   |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm                        | 720 x 547 mm  | LC5816   |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm                        | 820 x 547 mm  | LC5817   |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm                        | 920 x 547 mm  | LC5818   |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm                       | 1020 x 547 mm | LC5819   |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1338 x 570 mm | 1338 x 570 mm | LU9561   |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1733 x 570 mm | 1733 x 570 mm | LU9562 B |



| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1733 x 570 mm   | 1733 x 570 mm | LU9563 L/R |
|---|---------------|------------|
| Console vanity unit floorstanding Number of pull-out compartments: 1, Incl. console: No, Without handle, Siphon cutout: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Plinth legs Yes, Integrated height adjustment, 638 x 450 mm   | 638 x 450 mm  | LU9560     |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Plinth legs Yes, Integrated height adjustment, 638 x 450 mm                            | 638 x 450 mm  | LU9565     |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1338 x 570 mm | 1338 x 570 mm | LU9566     |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1733 x 570 mm | 1733 x 570 mm | LU9567 B   |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1733 x 570 mm | 1733 x 570 mm | LU9568 L/R |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm   | 800 x 548 mm  | XS4910     |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm  | 1000 x 548 mm | XS4911     |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm  | 1200 x 548 mm | XS4912     |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 800 x 548 mm                     | 800 x 548 mm  | XS4920     |



| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1000 x 548 mm | 1000 x 548 mm | XS4921     |
|--|---------------|------------|
| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1200 x 548 mm | 1200 x 548 mm | XS4922     |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm                           | 1400 x 548 mm | XS4913 L/R |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm                           | 1600 x 548 mm | XS4914 L/R |
| Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm | 1400 x 548 mm | XS4923 L/R |
| Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm | 1600 x 548 mm | XS4924 L/R |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm                           | 1400 x 548 mm | XS4916 B   |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm                           | 1600 x 548 mm | XS4917 B   |
| Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm | 1400 x 548 mm | XS4926 B   |
| Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm | 1600 x 548 mm | XS4927 B   |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 938 x 570 mm   | 938 x 570 mm  | LU9564     |



| Console vanity unit floorstanding Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 938 x 570 mm | 938 x 570 mm | LU9569 |
|--|--------------|--------|
| Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | DS102C |
| Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | DS103C |
| Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | DS106C |
| Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | DS107C |
| Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | LC102C |
| Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | LC103C |
| Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | LC106C |
| Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm   | 800 x 550 mm | LC107C |
| Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | DS100C |
| Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | DS101C |
| Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | DS104C |
| Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | DS105C |
| Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | LC100C |
| Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | LC101C |
| Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | LC104C |
| Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm  | 800 x 480 mm | LC105C |
| Recommended faucets  |              |        |
|  |              |        |



|< 600 mm >|

| Single lever basin mixer XL Ceramic cartridge, Height: 322 mm, Spout reach: 166 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 196 x 40 mm  Single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set Spray | 030002 | 165 x 41 mm  | Single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 165 x 41 mm |
|---|--------|--------------|---|
|   | 140002 |              | Spout reach: 166 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 196   |
| mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm   | 170004 | 173 x 225 mr | Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I,  |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.